

Notice of Allowability

Application No.

09/971,953

Examiner

Julio J. Maldonado

Applicant(s)

ANDRY ET AL.

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to reply mailed on 03/05/2004.
2. ☒ The allowed claim(s) is/are 1-13, 15-17 and 22.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 20040319.
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

DETAILED ACTION

1. The rejection of claims 1-13, 15-17 and 22 are withdrawn in view of applicants' arguments.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas W. McNally on 03/19/2004.

The application has been amended as follows: in claim 1, where applicants recite "...treating the patterned insulation layer with a coupling agent...depositing electrically conductive material on the patterned insulation layer..." replace with -- treating the patterned insulation layer and the resulting exposed first insulation layer with a coupling agent...selectively depositing the electrically conductive layer having patterns on the patterned insulation layer.--; in claims 4, 10 and 13, where applicants recite "...including..." replace with -- consisting of --; in claims 15 and 22 where applicants recite "...treating the patterned insulation layer with a..." replace with -- treating the patterned insulation layer and the resulting exposed first insulation layer with a --.

Allowable Subject Matter

3. Claims 1-13, 15-17 and 22 are allowed.
4. The following is an examiner's statement of reasons for allowance:

The prior art of record, Calvert et al. U.S. 6,348,240 neither teach nor suggest forming a second insulation on a first insulation layer, the second insulation layer having predetermined functional groups; patterning the second insulation layer; treating the patterned insulation layer and the resulting exposed first insulation layer with a coupling agent reacting with the predetermined functional groups; and depositing the electrically conductive layer having patterns on the pattern insulation layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry of a general nature or relating to the status of this application should be directed to the Group Receptionist whose telephone number is 571-272-2800. See MPEP 203.08.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Julio J. Maldonado whose telephone number is (571) 272-1864. The examiner can normally be reached on Monday through Friday.

7. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri, can be reached on (571) 272-1855. The fax number for this group is 703-872-9306 for before final submissions, 703-872-9306 for after final submissions and the customer service number for group 2800 is (703) 306-3329.


Updates can be found at <http://www.uspto.gov/web/info/2800.htm>.

Application/Control Number: 09/971,953
Art Unit: 2823

Page 4

Julio J. Maldonado
Patent Examiner
Art Unit 2823

Julio J. Maldonado
March 19, 2004


George Fourson
Primary Examiner